

CLAIMS

1. Process for transmission of a secured electronic message, comprising:

- an operation of receiving by a data processing system, from a user, by means of a communication network:

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

- . the message to be transmitted,
- . an identification of the user, and
- . an identification of a destination for said message (603, 604);

- an operation of opening a communication session between a remote communication means corresponding to the identification of the destination of said message, and the information processing system;

- an operation of generating, by said information processing system, of a first so-called "confidential" information for single use, which is to that it cannot be used except during said communication session;

and, during said communication session:

. performing an operation of transmitting, by the information processing system, of the first confidential information by means of a first transmission support (605),

. performing an operation of receiving, by the information processing system, said first confidential information from a second transmission support different from the first transmission support (608),

25

. performing an operation of verifying the first confidential information (610), by said system of information processing, and

30

. if the first confidential information is verified, performing an operation of supplying the secured message, by the information processing system, to the remote communication means corresponding to the identification of the destination of said message.

2. Process according to claim 1, characterized in that it comprises moreover an operation of informing said user of the supply of the secured message to said destination.

3. Process according to any one of claims 1 or 2, characterized in that it comprises moreover an operation of authenticating said user.

4. Process according to claim 3, characterized in that said authentication operation of said user comprises:

5

- an operation of generating, by said information processing system, a second so-called "confidential" information for single use;

- an operation of supplying to said user, by said information processing system, of the second confidential information, on a third transmission support (605),

10

- an operation of receiving, by the information processing system, of the second confidential information, on a fourth transmission support different from the third transmission support (608),

- an operation of verifying the second confidential information (610) by said system of information processing.

5. Process according to claim 4, characterized in that it comprises moreover an operation of delivering to said destination a certificate which identifies said user.

6. Process according to any one of claims 1 to 5, characterized in that it comprises an operation of memorizing at least one record of at least one operation, in the information processing system.

7. Process according to any one of claims 1 to 6, characterized in that the first transmission support is a wireless support.

8. Process according to any one of claims 1 to 7, characterized in that the second transmission support is the Internet.

9. Device for transmitting a secured electronic message comprising processing means adapted to:

- receive from a user, by means of a communication network:

5 . the message to be transmitted,
 . an identification of the user, and
 . an identification of a destination of said message
(603, 604);

10 - opening a communication system with a remote communication means corresponding to the identification of the destination of said message;

- generating a first so-called "confidential" information for single use, which is to say that it cannot be used but during said communication session;

15 and, during said communication session:

. transmitting the first confidential information by means of a first transmission support (605),

20 . receiving said first confidential information from a second transmission support different from the first transmission support (608),

. verifying the first confidential information (610), and

25 . if the first confidential information is verified, supplying the secured message to said destination, by means of a transmission support.

10. Device according to claim 9, characterized in that the processing means are adapted moreover to transmit information to said user as to the supply of the secured message to said destination.

Add B1
100
PC2